FILE	FTE AUTOMO	TIVE GmbH	Revision nr. 1		
a Valeo brand			Dated 13/03/2018		
			First compilation		
	BRAKE FLUID LH	M STD (0202000)	Printed on 19/03/2021		
	BRARE I EOID EI	W 31D (3202000)			
			Page n. 1/11		
Safety Data Sheet According to Annex II to REACH - Regulation 2015/830					
SECTION 1. Identification	n of the substance/mixture a	and of the company	y/undertaking		
1.1. Product identifier Product name	LHM STD (92020	000)			
1.2. Relev ant identified uses of the substance or mixture and uses advised against Intended use LHM STD (for B2C)					
Identified Uses	Industrial	Professional	Consumer		
Functional Fluids	<i>¥</i>	v	v		
Lubricants	v	¥	v		
1.3. Details of the supplier of the s Name Full address District and Country	afety data sheet FTE automotive Gml Postfach 11 80 / D-96 Andreas-Humann-Str D-96106 Ebern Phone +49-9531-81-0 Fax +49-9531-81-337	104 Ebern : 2, 0			
e-mail addressof the competent per responsible for the Safety Data Shee		aleo.com			
1.4. Emergency telephone number For urgent inquiries refer to	r +49-9531-81-0 (busi	iness hours)			
SECTION 2. Hazards ide	ntification				
2.1. Classification of the substance	or mixture				
The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP). However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to (EU) Regulation 2015/830. Hazard classification and indication:					
2.2. Label elements					

Hazard pictograms: --

FTF	l	FTE AUTOMOTIVE GmbH	Revision nr. 1
a utomotive a Valeo brand			D-11-1 42/02/0240
			Dated 13/03/2018 First compilation
			Printed on 19/03/2021
	DLKA	KE FLUID LHM STD (9202000)	Page n. 2/11
Signal words:			
Hazard statements:			
-			
Precautionary statements:			
-			
2.3. Other hazards			
On the basis of available data, the pro	duct does not conta	ain any PBT or vPvB in percentage ≥than 0,1%.	
SECTION 3. Composition	n/information	on ingredients	
8.1. Substances			
nformation not relevant			
3.2. Mixtures			
Contains:			
Identification	x = Conc. %	Classification 1272/2008 (CLP)	
Highly refined mineral oil CAS 101316-72-7	40≤x< 50	Asp. Tox. 1 H304, Classification note/notes accor	rding to Annex VI to the CLP
EC 309-877-7		Regulation: L	
INDEX -			
Reg.no. 01-2119489969-06-xxxx			
The full wording of hazard (H) phrases	is given in section	16 of the sheet.	
SECTION 4. First aid mea	asures		
4.1. Description of first aid measure	S		

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.

INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

 ${\tt Specific information \, on \, symptoms \, and \, effects \, caused \, by \, the \, product \, are \, unknown.}$



Revision nr. 1

Dated 13/03/2018

Page n. 3/11

BLRAKE FLUID LHM STD (9202000)

First compilation Printed on 19/03/2021

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazar dous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.



Revision nr. 1

BLRAKE FLUID LHM STD (9202000)

Dated 13/03/2018 First compilation

Page n. 4/11

Printed on 19/03/2021

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Information not available

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration -resistant work gloves (see standard EN 374). Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.



Revision nr. 1

BLRAKE FLUID LHM STD (9202000)

Dated 13/03/2018 First compilation

Printed on 19/03/2021

Page n. 5/11

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	liquid
Colour	green
Odour	characteristic
Odourthreshold	Not avail able
рН	Not available
Melting point/freezing point	Not avail able
Initial boiling point	> 270 °C
Boiling range	Not available
Flash point	185 °C
Evaporation Rate	Not available
Flammability of solids and gases	Not avail able
Lowerinflammability limit	Not avail able
Upperinflammability limit	Not avail able
Lower explosive limit	Not avail able
Upper explosive limit	Not avail able
Vapour pressure	Not avail able
Vapourdensity	Not avail able
Relative density	0,855-0,895
Solubility	insoluble
Partition coefficient: n-octanol/water	Not avail able
Auto-ignition temperature	Not avail able
Decomposition temperature	Not avail able
Viscosity	32 cSt @ 40 °C
Explosive properties	Not avail able
Oxidising properties	Not avail able

9.2. Other information

VOC (Directive 2010/75/EC) :	0
VOC (volatile carbon):	0

SECTION 10. Stability and reactivity

10.1. Reactivity

The product may react exothermically on contact with strong oxidising or reducing agents, strong acids or bases.

10.2. Chemical stability

Excessively high temperatures can cause thermal decomposition.



Revision nr. 1

BLRAKE FLUID LHM STD (9202000)

Dated 13/03/2018 First compilation

Printed on 19/03/2021

Page n. 6/11

10.3. Possibility of hazardous reactions

See paragraph 10.1.

10.4. Conditions to avoid

Avoid overheating.

10.5. Incompatible materials

Oxidising or reducing agents. Strong acids or bases.

10.6. Hazardous decomposition products

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

SECTION 11. Toxicological information

11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: Not classified (no significant component) ATE (Oral) of the mixture: Not classified (no significant component) ATE (Dermal) of the mixture: Not classified (no significant component)

Highly refined mineral oil

LD50 (Oral) > 5000 mg/m3



Revision nr. 1

BLRAKE FLUID LHM STD (9202000)

Dated 13/03/2018 First compilation

Printed on 19/03/2021

Page n. 7/11

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

SECTION 12. Ecological information

12.1. Toxicity

Information not available

12.2. Persistence and degradability

Information not available



Revision nr. 1

BLRAKE FLUID LHM STD (9202000)

Dated 13/03/2018 First compilation

Page n. 8/11

Printed on 19/03/2021

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and v Pv B assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable



Revision nr. 1

Dated 13/03/2018 First compilation

Page n. 9/11

BLRAKE FLUID LHM STD (9202000)

Printed on 19/03/2021

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and env ironmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

None

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:



Revision nr. 1

BLRAKE FLUID LHM STD (9202000)

Dated 13/03/2018 First compilation

Printed on 19/03/2021

Page n. 10/11

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Information not available

15.2. Chemical safety assessment

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Asp. Tox. 1	Aspiration hazard, category 1	
H304	May be fatal if swallowed and enters airways.	

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- -TLV:ThresholdLimitValue
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament

	FTE AUTOMOTIVE GmbH	Revision nr. 1	
automotive			
a Valeo brand			
		Dated 13/03/2018	
		First compilation	
	BLRAKE FLUID LHM STD (9202000)	Printed on 19/03/2021	
	DERARE FLUID LINN STD (9202000)	Page n. 11/11	
		Page n. 11/11	
2. Regulation (EC) 1272/2008 (CLP) o	f the European Parliament		
3. Regulation (EU) 790/2009 (I Atp. Cl	_P) of the European Parliament		
4. Regulation (EU) 2015/830 of the Eu			
5. Regulation (EU) 286/2011 (II Atp. C			
6. Regulation (EU) 618/2012 (III Atp. (
7. Regulation (EU) 487/2013 (IV Atp. (
8. Regulation (EU) 944/2013 (V Atp. C 9. Regulation (EU) 605/2014 (VI Atp. C			
10. Regulation (EU) 2015/1221 (VI Atp. (n CLP) of the European Parliament		
11. Regulation (EU) 2016/918 (VIII Att			
12. Regulation (EU) 2016/1179 (IX At			
13. Regulation (EU) 2017/776 (X Atp.			
14. Regulation (EU) 2018/669 (XI Atp.			
15. Regulation (EU) 2018/1480 (XIII Atp. CLP)			
16. Regulation (EU) 2019/521 (XII Atp. CLP)			
- The MerckIndex 10th Edition			
- Handling Chemical Safety			
- INRS - Fiche Toxicologique (toxicolo - Patty - Industrial Hygiene and Toxico	gical sheet)		
- N.I. Sax - Dangerousproperties of Industrial Materials-7, 1989 Edition - IFA GESTIS website			
- ECHA website			
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy			
Note for users:			
· ·	ent sheet are based on our own knowledge on the date of the last version.	. Users must verify the suitability and	
	according to each specific use of the product.		
	as a guarantee on any specific product property.		
	o our direct control; therefore, users must, under their own responsibility, o	comply with the current health and safe ty	
	laws and regulations. The producer is relieved from any liability arising from improper uses.		
Provide appointed staff with adequate training on how to use chemical products. CALCULATION METHODS FOR CLASSIFICATION			
CALCULATION METHODS FOR CLASSIFICATION Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of			
chemical and physical nazards. Product classification derives from chemical established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.			
Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined other wise in Section 11.			
Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.			
msds for B2C.			